



SAFETY DATA SHEET

Date Issued	01JUNE2015
Document Nbr	10010003US en
Revision	0
Date Revised	01JUNE2015

SILVER JEWELRY CLEANER

Model No: 1046, 1017, 773(xx)

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards

SECTION 1 - IDENTIFICATION

1.1 TRADE NAME: SILVER JEWELRY CLEANER
SYNONYMS: None
CAS#: Mixture
1.2 PRODUCT USE: Silver Jewelry Cleaner
PRODUCT NUMBER: Model No: 1046, 1017, 773(xx)
1.3 SUPPLIER/MANUFACTURER'S NAME: Connoisseurs Products Corporation
ADDRESS: 17 Presidential Way, Woburn, MA 01801-1040 USA
BUSINESS PHONE: (781) 932-3949
EMAIL: info@connoisseurs.com
WEB SITE INFORMATION: www.connoisseurs.com
1.4 EMERGENCY PHONE NUMBERS: 1 (800) 424-9300 (CHEMTREC U.S. - 24 HRS.)
1 (703) 527-3887 (CHEMTREC OUTSIDE U.S.)

SECTION 2 - HAZARD IDENTIFICATION

EMERGENCY OVERVIEW:

Product Description: This product is a clear, pale yellow, thin, foamy liquid with a mild mint odor.

Health Hazards: Corrosive. Exposure to this product can cause severe irritation to eyes and skin. Inhalation of mist can cause severe irritation to mucous membranes and respiratory tract. This product contains ingredient(s) that are suspected or known to cause cancer.

Flammability Hazards: This product has a flash point greater than 200°F (93.3°C).

Reactivity Hazards: This product is slightly reactive.

Environmental Hazards: The environmental effects of this product have not been fully investigated.

Emergency Considerations: Emergency responders must wear the proper personal protective equipment (and have appropriate fire-suppression equipment) suitable for the situation to which they are responding.

US DOT SYMBOLS



CANADA (WHMIS) SYMBOLS



GHS Hazard Symbols



Signal Word: **Warning!**

2.1 GHS LABELING AND HAZARD CLASSIFICATION:

This product does meet the definition of a hazardous substance or preparation as defined by the OSHA and described in 29 CFR 1910.1200(d).

Component(s) Contributing to Classification(s):

Thiourea, Sulfuric Acid 93%, C11 Alcohol Ethoxylate, C12-C15 Alcohol Ethoxylate

2.2 LABEL ELEMENTS

GHS Hazard Classification(s):

Carcinogenicity Category 2

Reproductive Toxicity Category 2

Acute Oral Toxicity Category 4

Chronic Aquatic Toxicity Category 2

Eye Irritant Category 2

Skin Irritant Category 2

Hazard Statement(s):

Precautionary Statement(s):

Suspected of causing cancer.
Suspected of damaging fertility or the unborn child.
Harmful if swallowed.
Causes skin irritation.
Causes serious eye irritation.
Toxic to aquatic life with long lasting effects.

Do not handle until all safety precautions have been read and understood.
Wash hands thoroughly after handling.
Do not eat, drink, or smoke when using this product.
Avoid release to the environment.
Use personal protective equipment as required.

Response Statement(s):

IF SWALLOWED: Call a Poison Control Center/Doctor.

IF SWALLOWED: Rinse mouth. Do **NOT** induce vomiting.

IF ON SKIN: Wash with plenty of water.

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Call a Poison Center/Doctor if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Storage Statement(s):

Store in a well-ventilated place. Keep cool.

Store locked up.

Disposal Statement(s):

Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 HEALTH HAZARDS OR RISKS FROM EXPOSURE:

SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE: The most significant routes of overexposure for this product are by contact with skin or eyes, and inhalation of mists or spray. The symptoms of overexposure are described in the following paragraphs.

ACUTE:

INHALATION: Inhalation of mist from this product causes severe irritation to mucous membranes and respiratory tract.

SKIN CONTACT: Exposure to this product can cause skin irritation. Prolonged exposure can cause severe irritation.

EYE CONTACT: Contact with eyes can cause serious irritation with redness, tearing, and pain. Possible corneal damage.

INGESTION: Ingestion may cause severe pain and/or ulceration of the digestive tract. Thiourea is toxic to humans.

CHRONIC: The effects of long term, low level exposures to this product have not been determined.

TARGET ORGANS: **ACUTE:** Eyes, Skin, Respiratory System

CHRONIC: Liver, Blood

SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS

COMPOSITION	WT. PERCENTAGE	CAS #	HAZARD CLASSIFICATION
Water	<90%	7732-18-5	None
Thiourea	5-10%	62-56-6	Carc. Cat 2, Repr Cat. 2, Harmful, Dangerous to the Environment
Sulfuric Acid 93%	1-4%	7664-93-9	Corrosive, Irritant
C11 Alcohol Ethoxylate	<2%	34398-01-1	None
C12 – 15 Alcohol Ethoxylate	<2%	68131-39-5	None
Balance of other ingredients are less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers)			

NOTE: ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format.

SECTION 4 - FIRST-AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES:

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if irritation persists.

SKIN CONTACT: Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists. Remove contaminated clothing. Launder before re-use.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention if breathing difficulty continues.

INGESTION: If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot

swallow. Seek medical advice. Take a copy of the label and SDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None known.

4.2 SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

Contact with eyes may cause severe irritation with redness and tearing with possible tissue damage. Prolonged skin exposure may cause moderate to severe skin irritation.

4.3 RECOMMENDATIONS TO PHYSICIANS:

Treat symptoms and eliminate overexposure.

SECTION 5 - FIRE-FIGHTING MEASURES

5.1 FIRE EXTINGUISHING MATERIALS:

Use fire extinguishing methods below:

Water Spray: Yes

Foam: Yes

Halon: Yes

Carbon Dioxide: Yes

Dry Chemical: Yes

Other: Any "C" Class

5.2 UNUSUAL FIRE AND EXPLOSION HAZARDS:

Combustion may produce noxious and irritating gases.

Explosion Sensitivity to Mechanical Impact: No

Explosion Sensitivity to Static Discharge: No

FLASH POINT: >200°F (>93°C)


AUTOIGNITION TEMPERATURE: Not applicable.

FLAMMABLE LIMITS (in air by volume, %): Lower: NA, Upper: NA

5.3 SPECIAL FIRE-FIGHTING PROCEDURES:

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

NFPA RATING SYSTEM



HMIS RATING SYSTEM

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM			
HEALTH HAZARD (BLUE)			2
FLAMMABILITY HAZARD (RED)			1
PHYSICAL HAZARD (YELLOW)			1
PROTECTIVE EQUIPMENT			
EYES	RESPIRATORY	HANDS	BODY
	See Sect 8		See Sect 8

For Routine Industrial Use and Handling Applications

Hazard Scale: 0=Minimal, 1=Slight, 2=Moderate, 3=Serious, 4=Severe, *=Chronic Hazard

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES:

See **Section 8.2 for Exposure Controls.**

6.2 ENVIRONMENTAL PRECAUTIONS:

Keep spilled material out of all sewers and open bodies of water.

6.3 SPILL AND LEAK RESPONSE:

Contain spill if safe to do so. Cover or absorb spilled liquid with sand, earth, or other inert material. Clean up spill immediately and place in appropriate containers. Keep spill out of sewers and open bodies of water. **CAUTION:** Floor may become slippery.

Dispose of in accordance with applicable Federal, State, and local procedures (see **Section 13 Disposal Considerations**).

SECTION 7 – HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

As with all chemicals, avoid getting this product **ON YOU** or **IN YOU**. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing vapors/mists generated by this product. Use in a well-ventilated location. Remove contaminated clothing immediately.

7.2 STORAGE AND HANDLING PRACTICES:

Containers of this product must be properly labeled. Store containers in a cool, dry location. Keep container tightly closed when not in use. Keep away from strong alkalis, bases, and reactive materials.

7.3 SPECIFIC USES:

Developed specifically for silver jewelry cleaning.

SECTION 8 – EXPOSURE CONTROLS – PERSONAL PROTECTION

8.1 EXPOSURE PARAMETERS:

CHEMICAL NAME	CAS#	ACGIH TLV	OSHA TWA
Water	7732-18-5	Not Listed	Not Listed
Thiourea	62-56-6	Not Listed	Not Listed
Sulfuric Acid 93%	7664-93-9	.02 mg/m ³	1.0 mg/m ³
C11 Alcohol Ethoxylate	34398-01-1	Not Listed	Not Listed
C12-15 Alcohol Ethoxylate	68131-39-5	Not Listed	Not Listed

8.2 EXPOSURE CONTROLS:

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada.

RESPIRATORY PROTECTION: Not required when using this product. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93.

EYE PROTECTION: Safety glasses or goggles are recommended. If necessary, refer to U.S. OSHA 29 CFR 1910.133 or appropriate Standards of Canada.

HAND PROTECTION: Chemical resistant gloves are recommended to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standard of Canada.

BODY PROTECTION: Not normally required when using this protect. If necessary, refer to U.S. OSHA 29 CFR 1910.132 (also OSHA Technical Manual). or appropriate Standard of Canada.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE (PHYSICAL STATE) AND COLOR: Clear, pale yellow, thin, foamy liquid with a mint odor.

ODOR: Mint odor.

VAPOR PRESSURE (mm Hg @ 68°F (20°C)): Not available.

VAPOR DENSITY: Not available.

ODOR THRESHOLD: Not available.
PH: 1.25
MELTING/FREEZING POINT: Approx. 32°F (0°C)
BOILING POINT: Approx. 212°F (100°C)
FLASH POINT: >200°F (>93.3°C)
EVAPORATION RATE (n-BuAc=1): Not available.
FLAMMABILITY (SOLID, GAS): Not applicable.
UPPER/LOWER FLAMMABILITY OR EXPLOSION LIMITS: Not available.

RELATIVE DENSITY: Not available.
SPECIFIC GRAVITY: 1.033 @ 25°C
SOLUBILITY IN WATER: Complete soluble.
WEIGHT PER GALLON: 8.60 Lb/gal @ 25°C
PARTITION COEFFICIENT (n-octanol/water): Not applicable.
AUTO-IGNITION TEMPERATURE: Not applicable.
DECOMPOSITION TEMPERATURE: Not available.
VISCOSITY: Not available.

9.2 OTHER INFORMATION:

No additional information available.

SECTION 10 – STABILITY AND REACTIVITY

10.1 REACTIVITY:

Highly reactive; capable of igniting finely divided combustible materials on contact.

10.2 STABILITY:

Stable under conditions of normal storage and use.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS:

Reacts violently with organic materials with evolution of heat.

10.4 CONDITIONS TO AVOID:

Incompatible materials.

10.5 MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:

Extremely hazardous in contact with many materials, particularly Carbides, Chlorates, Fulminates, Nitrates, Picrates, Powdered Metals, and releasing Hydrogen gas.

10.6 HAZARDOUS DECOMPOSITIONS PRODUCTS:

When heated to decomposition, this product produces Carbon Monoxide, Carbon Dioxide, Nitrogen Oxides, Sulfur Oxides, and other toxic gases.

SECTION 11 – TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

Toxicity data is not available for this mixture:

CAS# 62-56-6 LD50 Oral	125 mg/kg	Rat
CAS# 7664-93-9 LD50 Oral	2140 mg/kg	Rat
CAS# 7664-93-9 LD50 Inhalation	510 mg/m ³ 2H	Rat
CAS# 68131-39-5 LD50 Dermal	5,000 mg/kg	Rat
CAS# 68131-39-5 LD50 Ingestion	1,200 mg/kg	Rat

SUSPECTED CANCER AGENT: The following ingredients are found on one or more of the following lists: **FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC** and therefore are considered to be, or suspected to be, a cancer-causing agent by these agencies.

CAS# 62-56-6 Thiourea

IRRITANCY OF THE PRODUCT: Contact with this product can be irritating to exposed skin and eyes.

SENSITIZATION TO THE PRODUCT: This product is not considered a skin and respiratory sensitizer.

REPRODUCTIVE TOXICITY INFORMATION: This product contains an ingredient that may cause reproductive and fetal effects.

SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE: Not classified as a specific target organ toxicity – single exposure.

SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE: Not classified as a specific target organ toxicity – repeated exposure.

CHRONIC EFFECTS: The effects of long term, low level exposures to this product have not been determined.

SECTION 12 – ECOLOGICAL INFORMATION

12.1 TOXICITY:

No toxicity data available for this mixture.

12.2 PERSISTENCE AND DEGRADABILITY:

No specific data available for this mixture.

12.3 BIOACCUMULATIVE POTENTIAL:

No specific data available for this mixture.

12.4 MOBILITY IN SOIL:

No specific data available for this mixture.

12.5 OTHER ADVERSE EFFECTS:

This product contains an ingredient which may be harmful to plants, animals, or aquatic life.

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

SECTION 13 – DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS:

This product, if disposed of as shipped, is considered a hazardous waste as specified in 40 CFR 261.

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, and those of Canada.

SECTION 14 – TRANSPORTATION INFORMATION

14.1 U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation as follows.

Metal Corrosion Test: Corrosive metal by DOT, IATA, ADR, and IMDG/IMO criteria.

14.2 UN IDENTIFICATION NUMBER:

UN3264

14.3 PROPER SHIPPING NAME:

Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric Acid)

14.4 HAZARD CLASS NUMBER AND DESCRIPTION:

Class 8, Corrosive

14.5 PACKING GROUP:

PGIII

DOT LABELS REQUIRED:

Corrosive

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER:

154

14.6 ENVIRONMENTAL HAZARDS (RQ QUANTITY):

10lb. RQ Thiourea

MARINE POLLUTANT: The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

14.7 SPECIAL PRECAUTION FOR USER:

Use caution and avoid exposure.

14.8 INTERNATIONAL TRANSPORTATION:

INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA): This product is considered as dangerous goods by air.

Note: Packaging does not comply with IATA regulations and cannot be shipped by aircraft.

INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO): This product is considered as dangerous goods.

14.9 SPECIAL TRANSPORTATION PROVISIONS AND EXEMPTIONS:

14.9.1 TRANSPORTATION MODE: GROUND ONLY

This product, if shipped in the original manufacture's packaging, may be shipped by ground (truck or rail) as a limited quantity (under 30kg) per 49 CFR 173.154 as follows:

HAZMAT CLASSIFICATION: LTD QTY HAZMAT

PROPER SHIPPING NAME: None specified. (Typically shipped as: Cleaning, Scouring, or Washing Liquid Compound, NOI, NMFC Item#: 48580, Sub 3, Class 55)

HAZARD CLASS: N/A

PACKING GROUP: N/A

UN#: N/A

SPECIAL PROVISIONS: N/A

HAZARD NAME: N/A

PACKAGE LABELS: N/A

PACKAGE MARKING:  [LTD QTY Diamond, per 49 CFR 172.315(a)(1)]

MAX PACKAGE WT: 30kg (66lbs)

PLACARD: N/A

EPA RQ: N/A

POUNDS: N/A

KILOS: N/A

ERG: N/A

EMS: N/A

CARGO CLASS: N/A

FREIGHT CLASSIFICATION: Cleaning, Scouring, or Washing Liquid Compound, NOI, NMFC Item#: 48580, Sub 3

LTL: 55 TL: 35

MW: 36,000

14.9.2 TRANSPORTATION MODE: WATER, IMO, and MIXED MODE

This product, if shipped in the original manufacture's packaging, may be shipped by water (IMO and mixed mode) as a limited quantity (under 30kg) per 49 CFR 173.154 as follows:

HAZMAT CLASSIFICATION: LTD QTY HAZMAT

PROPER SHIPPING NAME: UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric Acid), Class 8, PGIII, LTD QTY

HAZARD CLASS: Class 8, Corrosive **PACKING GROUP:** PGIII

UN#: UN3264

SPECIAL PROVISIONS: N/A

HAZARD NAME: LTD QTY HAZMAT

PACKAGE LABELS: N/A

PACKAGE MARKING:  [LTD QTY Diamond, per 49 CFR 172.315(a)(1)] "UN 3264, Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric Acid)"

MAX PACKAGE WT: 30kg (66lbs)

PLACARD: N/A

EPA RQ: N/A

POUNDS: N/A

KILOS: N/A

ERG: 154

EMS: F-A, S-B

STOWAGE: Category A, Clear of Living Quarters

Properties: Corrosive only to Steel

FREIGHT CLASSIFICATION: Cleaning, Scouring, or Washing Liquid Compound, NOI, NMFC Item#: 48580, Sub 3

LTL: 55 **TL:** 35

MW: 36,000

SECTION 15 – REGULATORY INFORMATION

15.1 SAFETY, HEALTH, AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE SUBSTANCE OR MIXTURE:

See below

15.2 UNITED STATES REGULATIONS:

SARA REPORTING REQUIREMENTS: This product is subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows: CAS# 7664-93-9 Sulfuric Acid SARA 302 TPQ 1,000 Lbs (454 Kg), SARA 304 RQ 1,000 Lbs (454 Kg); CAS# 62-56-6 Thiourea SARA 313.

TSCA: All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

SARA 311/312:

ACUTE HEALTH: YES

CHRONIC HEALTH: YES

FIRE: NO

REACTIVITY: YES

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for this product. The default Federal SDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) may apply, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): CAS# 62-56-6 Thiourea RQ. 10 Lbs (4.54 Kg), CAS# 7664-93-9 Sulfuric Acid RQ. 1,000 Lbs (454 Kg).

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): This product contains ingredients that are on the California Proposition 65 lists:

WARNING! This product contains ingredients that are known to the State of California to cause cancer, birth defects, or other reproductive harm.

15.3 CANADIAN REGULATIONS:

CANADIAN DSL/NDLS INVENTORY STATUS: All components are DSL listed, NDSL listed, and/or are exempt from listing.

OTHER CANADIAN REGULATIONS: Not applicable.

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LIST: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by those regulations.

CANADIAN WHMIS CLASSIFICATION AND SYMBOLS: This product is categorized as a Controlled Product, Class D2A Materials causing other toxic effects, Class E Corrosive material as per the Controlled Product Regulations.

SECTION 16 – OTHER INFORMATION

16.1 ABBREVIATIONS AND ACRONYMS:

EPA: United State Environmental Protection Agency

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

DATE OF CURRENT REVISION: 01 June 2015

DATE OF LAST REVISION: December 10, 2014

Disclaimer: To the best of Connoisseurs Products Corporation knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability, or completeness is not guaranteed and no warranties of any type either express or implied are provided. The information contained herein relates only to this specific product.