



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

JAN - 8 2008

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

Shuenn Bao Shing Corporation
C/O Dr. Ke-Min Jen
Official Correspondent
ROC Chinese-European Industrial Research Society
No. 58, Fu Chiun Street
Hsin Chu City
CHINA (TAIWAN) 30067

Re: K072067
Trade/Device Name: N95 Surgical Respirators, Type: AP0018, AP0028
Regulation Number: 21 CFR 878.4040
Regulation Name: Surgical Apparel
Regulatory Class: II
Product Code: MSH
Dated: December 22, 2007
Received: December 31, 2007

Dear Dr. Jen:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Page 2 - Dr. Jen

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (240) 276-0115. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (240) 276-3150 or at its Internet address <http://www.fda.gov/cdrh/industry/support/index.html>.

Sincerely yours,

Chiu Lin, Ph.D.
Director
Division of Anesthesiology, General Hospital,
Infection Control and Dental Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure



SHUENN BAO SHING CO., LTD.
No. 90,HSIN KUNG 6 RD., TIEN CHUNG CHEN,CHANG
HWA HSIEN,
Taiwan, ROC
Tel: 886-4-875-6141 Fax: 886-4-875-6145
E-mail:shuennba@ms17.hinet.net http://www.aeropro.com.tw

Indications for Use

510 (K) Number (If Known): 072 067

Device Name: N95 Surgical Respirator, Type: AP0018, AP0028

Indications for Use:

The N95 Surgical Respirator AP0018 and AP0028 are intended for single use by operating room personnel and other health care workers to protect both the patients and the health care workers from transfer of microorganisms, blood and body fluids, and airborne particulate materials.

Prescription Use _____

AND/OR

Over-The-Counter Use

(Part 2) CFR 801 Subpart D)

(21 CFR 807 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

JM
(Division Sign-Off)
Division of Anesthesiology, General Hospital
Infection Control, Dental Devices

Page 1 of 1

510(k) Number: K072 067